

**Certification
Issued Under the Authority of the
Federal Communications Commission**

By:

**MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566**

Date of Grant: 05/31/2023

Application Dated: 05/31/2023

**ROCKPI TRADING LIMITED
Room 11, 27/f, Ga wah international centre,
191 Javaroad, north point,
Hong Kong,,
China**

Attention: Luffy Wang

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2A3PA-RADXA-ROCK3C
Name of Grantee: ROCKPI TRADING LIMITED
Equipment Class: Unlicensed National Information Infrastructure TX
Notes: Radxa ROCK 3 Model C
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15E	5180.0 - 5240.0	0.0016		

Single Modular Approval. Output power listed is max conducted power. This device contains 20, 40 and 80 MHz signal bandwidth. The antennas used with this transmitter must be installed to provide a minimum separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users must be provided with operating procedures for satisfying RF exposure compliance. OEM integrators and end-users must be provided with transmitter operation conditions for satisfying RF exposure compliance. Only those antennas tested with the device or similar antennas with equal or lesser gain may be used with this transmitter. OEM integrators must be provided with antenna installation instructions. The OEM integrators must be instructed to ensure that the end user has no manual instructions to remove or install the device.

CC: This device is certified pursuant to two different Part 15 rules sections.