

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**MiCOM Labs  
575 Boulder Court  
Pleasanton, CA 94566**

**Date of Grant: 08/01/2022  
Application Dated: 08/01/2022**

**ROCKPI TRADING LIMITED  
Room 11, 27/f, Ga wah international centre,  
191 Javaroad, north point,  
Hong Kong,,  
China**

**Attention: Luffy Wang**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2A3PA-ROCK4C  
**Name of Grantee:** ROCKPI TRADING LIMITED  
**Equipment Class:** Digital Transmission System  
**Notes:** ROCK Pi 4/ROCK 4  
**Modular Type:** Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.00284		
CC	15C	2412.0 - 2462.0	0.01403		

Single Modular Approval Output power listed is conducted power. OEM integrators must be provided with antenna installation instructions. The OEM integrators must be instructed to ensure that the end user has no manual instructions to remove or install the device. OEM integrators and end-users must be provided with transmitter operation conditions for satisfying RF exposure compliance. Only the antenna tested with the device or similar antennas with equal or lesser gain may be used with this transmitter. The antenna used with this transmitter must be installed to provide a minimum separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users must be provided with operating procedures for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.